



EP 1 204 277 A2

(12)

EUROPEAN PATENT APPLICATION

- (43) Date of publication: 08.05.2002 Bulletin 2002/19
- (51) Int Cl.7: HO4N 7/24

(11)

- (21) Application number: 01308791.1
- (22) Date of filing: 16.10.2001
- (84) Designated Contracting States:
 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
 MC NL PT SE TR
 Designated Extension States:
- (30) Priority: 06.11.2000 US 707520
- (71) Applicant: Tektronix, Inc. Beaverton, OR 97077 (US)


AL LT LV MK RO SI

- (72) Inventor: Limaye, Ajit M. Hillsboro, Oregon 97124 (US)
- (74) Representative: Molyneaux, Martyn William Wildman, Harrold, Allen & Dixon 11th Floor, Tower 3, Clements inn, London WC2A 2AZ (GB)

(54) Subliminally embedded keys in video for synchronization

(57) A data file containing metadata and/or control data is synchronized with associated audio/video data by subliminally embedding a key in a frame of the audio/video. The key indicates the location of the data file and a time after the embedded frame in which the data file is to be activated to be in synchronism with the audio/

video. The data file is accessed via an alternate channel and held in a buffer until the time indicated by the key. The metadata from the data file is played out for display in synchronism with the associated audio/video data, and instructions contained in the control data are executed in synchronism with the associated audio/video data.



Printed by Jouve, 75001 PARIS (FR)

Description

BACKGROUND OF THE INVENTION

[0001] The present invention relates to multimedia systems, and more particularly to a subliminally embedded key in a video signal for synchronization of playout control of multimedia data and/or of execution of instructions contained in control data.

[0002] Watermarking of video signals is becoming of Increasing use as a means of transmitting very low rate data as part of the video signal. Watermarking of video has been proposed for performing audio to video delay compensation, for indicating authentication or program ownership and for verifying playing of a video signal such as in advertisement logging. The watermarking technique inserts the very low rate data into the active portion of the video signal so as to be invisible while still having the robustness to survive video signal processing including multiple generations of compression encoding/decoding. See U.S. Patent No. 4,969,041 issued to William O'Grady et al on November 6, 1990 entitled *Embedment of Data in a Video Signal" and co-pending U.S. Patent Application Serial No. 08/829,524 by Daniel Baker et al filed on March 28, 1997 entitled "Transparent Embedment of Data in a Video Signal*.

[0003] Also the use of auxiliary channels for transmitting data related to video signals is known, as shown in U.S. Patent No. 6,075,561 issued to Bozidar Janko on June 13, 2000 entitled "Low Duty-Cycle Transport of Video Reference Images". With the advent of the Internet, proposals have been made to use the internet as the auxiliary channel for transporting data. It is anticipated that when video that is streamed over the Internet is played out, it may be desirable to also play out other data - called metadata - that is associated with the video to immerse the viewer in the experience. It may also be desirable to transmit control data to the equipment receiving the video. This control data may be used for one or more of the following purposes: (1) cue a commercial; (2) specify a destination to which the video is to be routed; (3) control auxiliary equipment to actuate other sensory cues such as activation of special lighting or sound effects; (4) control the parameters for compressing the video prior to storage; etc.

[0004] However transmitting the metadata is not currently possible using watermarking technology with video. The bit rate of the metadata, such as 9600 baud, is too high for the very low data rate channel afforded by watermarking. Transmission of control data may or may not be possible using watermarking technology directly, depending upon the quantity of data which varies with the application.

[0005] The problem that arises is how to synchronize the metadata or other control data with the video when they are transmitted over different channels so that the metadata appears at the proper point with relationship to the video when seen by the viewer, or the control data

is retrieved and used at the proper point with relationship to the video.

[0006] What is desired is a means for synchronizing the metadata or control data with the associated video when the video is played out.

BRIEF SUMMARY OF THE INVENTION

[0007] Accordingly the present invention provides subliminally embedded keys in video that act as pointers and synchronizing signals for a data file containing metadata and/or control data so that the metadata is displayed with the video and/or instructions contained in the control data are executed at the proper time. At the transmission end of a system a key is generated in synchronization with the video, the key being associated with corresponding data file. The key is embedded subliminally in the video at an appropriate point using watermarking techniques. At a receiver the key is decoded from the video and used to access a network server that contains the data file. Once retrieved the metadata from the data file is displayed with the video at a point in synchronization with the video as indicated by the key, or the control data is used to perform one or more auxiliary functions at designated times. For small data files where the retrieval delay is small, the key may be just a few frames before the first video frame which is associated with the data file, while for large data files the key may be inserted several seconds before the first video frame which is associated with the data file. The key provides both an "address" for retrieving the data file and a time from the key frame when the metadata from the data file is to be played out with the video for a viewer or when the instructions contained in the control data are to be executed. In this way the data file is synchronized with the video.

[0008] The objects, advantages and other novel features of the present invention are apparent from the following detailed description when read in conjunction with the appended claims and attached drawing.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

[0009] The Figure is a block diagram view of a system for synchronizing a data file with video using subliminally embedded keys according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

[0010] Referring now to the Figure video, audio and an associated data file containing metadata and/or control data is input to an edit/production system 12. The output from the edit/production system 12 is streamed audio/video and the data file with associated keys. The data file is stored in an appropriate storage device 14, such as a network server, and the keys are input with the streaming audio/video to a key embedment system

16 such as those described in U.S. Patent No. 4,969,041 and U.S. Patent Application Serial No. 08/829,524 referenced above. The keys have information that indicates the location of the associated data file in the storage medium 14 and a time in number of frames from the frame in which the key is embedded when the control instructions from the data file should be executed or the metadata should be played out to be in synchronism with the audio/video stream to account for latency in accessing the data file. Large data files require a longer access time, so the key is embedded in a frame much further ahead of the frame where the data file is to be used, whereas small data files may not require as much "lead" time.

[0011] The streaming audio/video with embedded keys is transmitted over a transmit channel to a receive site where a key decoder 18 extracts the keys from the streaming audio/video and accesses an alternate channel 20, such as the Internet. The information from the keys is transmitted over the alternate channel 20 to the 20 storage medium 14 and the data file is transferred from the storage medium to a buffer in the key decoder 18. When the number of frames from the frame in which the key is embedded has passed, as indicated by the key, the metadata from the data file is played out with the streaming audio/video to a playout system 22 so as to be synchronized with the audio/video stream. Alternatively the instructions contained in the control data of the data file are executed. The playout system 22 may be a set top box for a consumer television set or multimedia computer where the viewer can control whether or not to view the metadata or only portions of the metadata. The playout system 22 may also be the device responsible for implementing the instructions contained in the control data.

[0012] Thus the present invention provides subliminally embedded keys in video for synchronization of a data file containing metadata and/or control data with associated audio/video streams, the data file being provided by an alternate channel and the keys having an address for the data file as well as a time when the metadata in the data file plays out with the audio/video streams or when the instructions in the control data are executed.

Claims

 A method of synchronizing a data file with associated audio/video data using subliminally embedded 50 keys comprising the steps of:

at a transmit site embedding a key subliminally in the audio/video data, the key indicating a location of the data file on a network storage medium and a latency time;


at a receive site extracting the key from the audio/video data;

accessing the network storage medium according to the location indicated by the key; using the data file in synchronism with the audio/video data according to the latency time.

- The method as recited in claim 1 wherein the data file comprises metadata to be played out in synchronism with the associated audio/video data and the using step comprises the step of playing out the metadata for display in synchronism with the audio/ video data.
- 3. The method as recited in claim 1 wherein the data file comprises control data to be activated in synchronism with the associated audio/video data and the using step comprises the step of activating instructions contained in the control data for execution in synchronism with the audio/video data.

3

45



(12)

EUROPEAN PATENT APPLICATION

- (88) Date of publication A3: 04.06.2003 Bulletin 2003/23
- (51) Int Cl.7: H04N 7/24, H04N 7/26

- (43) Date of publication A2: 08.05.2002 Bulletin 2002/19
- (21) Application number: 01308791.1
- (22) Date of filing: 16.10.2001
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU


 MC NL PT SE TR

 Designated Extension States:

 AL LT LY MK RO SI
- (30) Priority: 06.11.2000 US 707520
- (71) Applicant: Tektronix, Inc. Beaverton, OR 97077 (US)

- (72) Inventor: Limaye, Ajit M. Hillsboro, Oregon 97124 (US)
- (74) Representative: Molyneaux, Martyn William Wildman, Harrold, Allen & Dixon 11th Floor, Tower 3, Clements Inn, London WC2A 2AZ (GB)
- (54) Subliminally embedded keys in video for synchronization
- (57) A data file containing metadata and/or control data is synchronized with associated audio/video data by subliminally embedding a key in a frame of the audio/video. The key indicates the location of the data file and a time after the embedded frame in which the data file is to be activated to be in synchronism with the audio/

video. The data file is accessed via an alternate channel and held in a buffer until the time indicated by the key. The metadata from the data file is played out for display in synchronism with the associated audio/video data, and instructions contained in the control data are executed in synchronism with the associated audio/video data.



Printed by Jouve, 75001 PARIS (FR)



EUROPEAN SEARCH REPORT

EP 01 30 8791

	DOCUMENTS CONSIDER		Relevant	CLASSIFICATION OF THE
Cetegory	of relevant passage	1	to claim	APPLICATION (Int.CL7)
X	US 5 774 664 A (HIDA) 30 June 1998 (1998-0) * abstract * * column 3, line 25 * column 4, line 27- * column 6, line 17 * column 7, line 7	5-30) - column 4, line 9 * 67 * - column 6, line 25 *	1,2	H04N7/24 H04N7/26
X	EP 8 965 227 A (ACTV 22 December 1999 (19 * page 2, line 41-49 * page 3, line 40-57 * page 12, line 15-4 * figures 1,5 *	99-12-22) * *	1,2	
X	WO 00 45599 A (RAINS CORP (IE)) 3 August * abstract * * page 1, line 26 - * page 4, line 34 - * page 6, line 1-30 * page 7, line 7-28 * page 18, line 9 - * page 20, line 2-13 * page 21, line 1-11 * figures 1,10,12 *	page 2, line 11 * page 5, line 29 * * * page 19, line 23 * ; *	1-3	TECHNICAL FIELDS SEARCHED (Inf.Ci.7) HO4N
A	US 6 122 403 A (RHO) 19 September 2000 (2) * column 64, line 62 * * figure 27 *		1-3	
	The present search report has t	seen drawn up for all claims		
-	Place of search	Date of completion of the search		Examiner
3	THE HAGUE	14 April 2003	} M	larzal-Abarca, X
Y:	CATEGORY OF CITED DOCUMENTS particularly relevant if taken atone particularly relevant if combined with anot ocument of the same category technological beakground non-written disclosure intermediate document	4.0-2	document, but p date od in the applicat d for other resec	iuosaned on, or lion

2



EUROPEAN SEARCH REPORT

Application Number EP 01 30 8791

	DOCUMENTS CONSIDER	RED TO BE RELEVAN	T	
alegory	Citation of document with indic of relevant passages	ation, where appropriate,	Relevan to claim	CLASSIFICATION OF THE APPLICATION (Int.CL7)
A	WO 98 17064 A (WESTBE DANIEL S (US); LEUNG MANKOVI) 23 April 199 * page 2, line 27 - p * page 5, line 15 - p * page 11, line 24 -	ELSIE Y (US); 98 (1998-04-23) page 3, line 2 * page 5. line 22 *	1-3	
A	US 5 774 656 A (PORTI 30 June 1998 (1998-0) * abstract * * column 2, line 15 * column 5, line 32 * column 8, line 52 * figures 1-5 * * table 2 *	6-30) - column 3, line 39 - column 6. line 39	2 " l	
•		·		TECHNICAL FIELDS SEARCHED (InLCL7)
-	The present search report has a	peen drawn up for all claims		
	Flace of eserch	Date of completion of the		Exerniner
1	THE HAGUE	14 April 20	03	Marzal-Abarca, X
A:	CATEGORY OF CITED DOCUMENTS particularly relevant if taken alone perfocularly relevant if carchined with anot accounted of the earne category technological bedggound non-written displacement intermediate document.	her D: docum L: docum	or principle underlying palent document, but if filing date ent offed in the appli- ent offed for offer re- er of the same patent ent.	cetion

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 30 8791

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

14-04-2003

	Patent document oiled in search report		Publication date		Patent family member(s)	Publication date
-	US 5774664	A	30-86-1998	US	5778181 A	07-07-1998
1	U\$ 5774004	^	30-00 1330	AT	204110 T	15-08-2001
1				ÄÙ	2070597 A	22-09-1997
1				DΕ	69706036 D1	13-09-2001
ł				DE	69706036 T2	06-06-2002
1				DK	885525 T3	08-10-2001
1				EP	0885525 A1	23-12-1998
1				EP	0982943 A2	01-03-2000
1				ES	2159118 T3	16-09-2001
1					9733434 A1	12-09-1997
l				MD		25-04-2002
1				US	2002049832 A1	11-04-2002
				US	2002042813 A1	25-01-2000
				US	6018768 A	12-12-2002
Į.				US	2002188699 A1	02-01-2003
1				US .	2003005151 A1	03-04-2003
				US	2003065719 A1	28-91-2003
1				US	6513069 B1	11-12-2001
				US	6330595 B1	01-11-2001
1				US	2001037376 A1	21-03-2002
1				US	2002035614 A1	21-03-2002
1				US	2002035615 A1	21-03-2002
l				US	2002035600 A1	28-03-2002
1	•			US	2002038344 Al 2002035601 Al	21-03-2002
Ì				US		21-03-2002
ì	EP 0965227	A	22-12-1999	AT	213114 T	15 - 02-2002
-	EP UJUJELI	-		ΑŬ	3370597 A	29-09-1 9 98
-				BR	9714670 A	07-11-2006
				DE	69718372 D1	21-03-2002
1				DE	69719372 T2	11-07-2002
				DK	965227 T3	13-05-2002
1				EΡ	0965227 A1	22-12-1999
- [GB	2338388 A ,B	15-12-1999
ı				HK	1024107 Al	29-12-2000
- (JP	2002510439 T	02-04-2002
1				CN	1254471 A	24-05-2008
-				EP	1021038 A2	19-07-2000
1				EP	1021036 A2	19-07-2000
ı				ΕP	1021037 A2	19-07-2000
1				EΡ	1026897 A2	09-08-2000
- {				ES	2171958 T3	16-09-2002
				GB	2343095 A .B	26-04-2000
١				ĞB	2348586 A ,B	04-10-2000
1				GB	2348346 A ,B	27-89-2808
اھ				GB	2348587 A ,B	04-10-2000
ğ۱				GB	2355135 A ,B	11-04-2001
PRIM POSSO				SD	5333130 M)Q	

For more details about this annex: see Official Journal of the European Patent Office, No. 12/82

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 30 8791

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP like on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

14-04-2003

	Patent documented in search rep		Publication date		Patent family member(s)	Publication date
FD A	965227	A		GB	2355136 A ,B	11-04-2001
Lr u	IJQJEL/	••		GB	2355137 A .B	11-04-2001
				GB	2356767 A ,B	30-05-2001
				GB	2356768 A ,B	30-05-2001
				HK	1927700 A1	02-11-2001
						08-03-2002
				HK		08-03-2002
				HK	1032311 A1	
				HK	1032312 A1	08-03-2002
				HK	1039235 Al	26-07-2002
				HK	1039236 Al	26-07-2002
				HK	10397 0 8 A1	16-08-2002
				HK	1039709 A1	09-08-2002
				WO	9841020 A1	17-09-1998
				ÜŠ	2002188943 A1	12-12-2002
				•		
MU E	045599	A	83-88-2008	AT	230195 T	15-01-2003
no u	3013933	•	•• ••	AU	2125480 A	18-08 - 2000
				CA	2361431 A1	03-08-2000
				DE	60001057 D1	30-01-2003
				DK	1157554 T3	17-02-2003
				EP	1157554 A2	28-11-2001
					0845599 A2	03-08-2000
				₩O	2002541684 T	03-12-2002
				JP	2002341004	03-12-2002
110 6	6122403	Α	19-09-2000	US	5862260 A	19-01-1999
05 (0165403	••	17 07 0000	ŭŠ	5841978 A	24-11-1998
				ÜÄ	3008697 A	05-12-1997
				ΕP	1019868 A2	19-07-2000
				WO	9743736 A1	20-11-1997
				ÜS	2002188841 A1	12-12-2002
					6229924 B1	08-05-2001
				US		16-07-2002
				US	6421070 B1	13-02-2002
				US	2003031341 A1	
				US	2003039377 A1	27-02-2003
			•	UŞ	6408082 B1	18-66-2002
				US	6505160 B1	07-01-2003
				US	6424725 B1	23-07-2002
				US	2001055407 A1	27-12-2001
				US	2001017931 A1	30-08-2001
				ŬŠ	2002090113 A1	11- 0 7-2002
				ŭŠ	2002136429 A1	26-89-2002
				US	2002164049 A1	07-11-2002
				ÜS	2002104045 A1	12-12-2002
				US	2002186887 A1	12-12-2002
						16-01-2003
				116		
				US US	2003012403 A1 2003021441 A1	30-01-2003

6 For more details about this annex: ase Official Journal of the European Patent Office, No. 12/82

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 30 8791

This annex lists the potent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

14-04-2083

Patent document oited in search report		Publication date		Patent famil member(s)		Publication date	
us	6122403	A	<u> </u>	US	2003033530	A1	13-02-2003
•-				US	2003053653	Al	20-63-2663
				US	2003053654	A1	20-03-2003
				ŪŠ	6307949	B1	23-10-2001
				US	6381341		30-64-2602
				ÜŠ	2001031065		18-10-2001
				US	2001022848		20-69-2001
			•	US	2001019618		06-09-2001
				ÜŠ	2001016051		23-68-2001
				ÜŠ	2002009208		24-01-2002
				US	2002005200		17-01-2002
				US	2002067844		96-96-2002
				US	2002007644		29-08-2002
				US	2002116631		29-06-2002
				US US	2002070001		11-07-2002
					2002080997		27-06-2002
				US At		T T	15-01-2003
					216546		15-05-2002
				AT			29-11-1996
				AU			14-11-1996
	·			CA	2218957		23-05-2002
				DE	69620751		31-10-2002
				DE	69620751		06-02-2003
				DE	69625626		
				EP	1003324		24-05-2008
				EP	1649320		02-11-2000
				ΕP	1137251		26-09-2001
				EP	0824821		25-02-1998
				JP	2002504272] 	05-02-2002
WO	9817064	A	23-04-1998	ΑŲ	726960		39-11-2000
				ΑU	4823197		11-05-1998
				BR	9712352		31-08-1999
				CN	1251723		26-04-2006
				ΕP	0932979		04-08-1999
				JР	2002515207		21-05-2002
				KR	2000049237		25-07-2006
				MO	9817064		23-04-1998
110	5774666	A	30-06-1998	US	5987509		16-11-1999
J	3/14000	n		ÜS	6499057		24-12-2002
			••••••••				

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82